

# DALY, CROWLEY, MOFFORD & DURKEE, LLP

354A Turnpike Street - Suite 301A  
CANTON, MASSACHUSETTS 02021-2714

TELEPHONE: 781-401-9988

FACSIMILE: 781-401-9966

CHRISTOPHER S. DALY  
JUDITH C. CROWLEY  
DONALD F. MOFFORD  
PAUL D. DURKEE

KERMIT ROBINSON  
ANTHONY T. MOOSEY

---

OF COUNSEL  
MARIANNE M. DOWNING  
CATHY L. PETERSON

January 10, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RE: U.S. Patent of Karl Scheller et al.  
U.S. Pat. No.: 7,199,579  
Issued on: April 3, 2007  
Entitled: PROXIMITY DETECTOR  
U.S. Appl. No.: 10/795,930  
Our Ref. No.: ALLEG-041PUS

Dear Sirs:

Enclosed is a completed Request for Certificate of Correction. It is requested that a Certificate of Correction be issued to correct the listed mistakes in the above-identified patent.

Authorization to charge the payment of \$100.00 to cover the cost of the Certificate of Correction in accordance with 37 C.F.R. §1.20(a) is hereby given. Please charge Deposit Account 50-0845.

Very truly yours,



Kermit Robinson  
*kr@dc-m.com*

KR/mhw  
Enclosures  
71335.doc